
A flexible wheelchair hoist that fits in almost all car models.













The jointed hoist arm of the Carolift 40 makes the wheelchair easy to manouver through narrow openings while still retaining the ability to reach beyond wide bumpers. Unlike hoists with fixed arms it is possible to pick up the wheelchair from the pavement beside the vehicle.

### Quick facts

- Jointed hoist arm folds both directions
- Powered lifting/lowering and with manual rotation
- Assisted folding to and from storage position
- Fits almost all car models
- Easy installation thanks to smart mounting base
- One size fits all, no need to cut or work the hoist
- EMC and crash test approved
- CE-marked

To guarantee your safety all Autoadapt products are designed and tested according to current directives and standards.

## **Specifications**

LIFT CAPACITY	40 kg
WEIGHT	II kg
VOLTAGE	12 V
CURRENT CONSUMPTION	15 A (at max load)

A = From cc pillar to lift belt, maximum	795 mm
B = From cc pillar to lift belt, minimum	530 mm
C = From hoist arm bottom edge to vehicle floor	755 mm
D =Total height, maximum	
Total height, minimum	
	1380 mm

MODEL ARTICLE NO.

Carolift 40 101663










Take-apart wheelchair hoist with powered lift.







Carolift 325 is a take-apart hoist, designed to fit in a sedan vehicle. The hoist is mainly intended for a power wheelchair or scooter with removed seat.

Taken apart, there are two pieces that can be placed anywhere inside the vehicle. The heaviest weighs about 6 kg. Manual rotation and powered lifting which is operated by controls on top of the hoist.

**NOTE!** The docking device is ordered separately.

### Quick facts

- Can be taken apart when not in use
- Powered lifting
- Manual rotation
- Deliviered with mounting base
- EMC and crash test approved
- CE-marked

To guarantee your safety all Autoadapt products are designed and tested according to current directives and standards.

### **Specifications**

LIFT CAPACITY	82 kg
WEIGHT	23 kg
VOLTAGE	12 V
CURRENT CONSUMPTION	28 A (at max load)

A= Total height over vehicle floor: 94.5 cm - 105 cm B= From upper visual end of lift belt to vehicle floor: 81 cm - 92cm C= From lift belt to pillar: 62cm - 82cm

MODEL ARTICLE NO.

Carolift 325 101626








A fixed wheelchair hoist with powered lift and swivel.








The Carolift 90 is a stylish wheelchair hoist designed for lifting mobility devices up to 90 kg into the back of a vehicle. The lift can be folded down to allow use in vehicles with sloping rear

- Operated with a hand control
- Suitable for station wagons, minivans or full-size vans
- Height and lenght adjusted by cutting
- Delivered with a universal mounting base
- EMC and crash test approved
- CE-marked

To guarantee your safety all Autoadapt products are designed and tested according to current directives and standards.

### **Specifications**

LIFT CAPACITY	90 kg
WEIGHT	15 kg (including mounting bracket)
VOLTAGE	12 V
CURRENT CONSUMPTION	< I0 A (at max load)



A= 106 cm including mounting base. Height adjusted by cutting. B= 109 cm. Length adjusted by cutting. C= Max 141 cm folded D= Max 58 cm

MODEL ARTICLE NO. Carolift 90 100297









A fixed wheelchair hoist with powered lift and swivel.





The Carolift 140 is a stylish wheelchair hoist designed for lifting mobility devices up to 140 kg into the back of a vehicle. The lift can be folded down to allow use in vehicles with sloping rear doors.

**NOTE!** The docking device is ordered separately.


### Quick facts

- · Powered lifting and swivel
- Operated with a hand control
- Suitable for station wagons, minivans or full-size vans
- Height and lenght adjusted by cutting
- Delivered with a universal mounting base
- EMC and crash test approved
- CE-marked

To guarantee your safety all Autoadapt products are designed and tested according to current directives and standards.

### **Specifications**

LIFT CAPACITY	140 kg
WEIGHT	35 kg (including mounting bracket)
VOLTAGE	12 V
CURRENT CONSUMPTION	< 10 A (at max load)



A= 105 cm including mounting base. The hoist is height adjusted by cutting (down to 74 cm).

B= 82.5 cm. The length of hoist arm is adjusted by cutting.

C= Max 134 cm folded

D= Max 62 cm

MODEL	ARTICLE NO.	
Carolift 140	101018	